Jack Frost

BLOUSE BOOK

LEFT . . . No. 4301
RIBBED FRONT CARDIGAN BLOUSE

RIGHT . . . No. 4302
PEASANT BLOUSE

INSTRUCTIONS ON PAGE 2

VOLUME 43
PRICE 20¢

I N S T R U C T I O N S

RIBBED-FRONT CARDIGAN BLOUSE No. 4301

SIZE 14

1 Pr. Standard No. 1 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.

SCALE:
Stockinette st—7½ sts to 1 in. — Rib st—8½ sts to 1 in.

Jack Frost Featherweight Zephyr 3 Fold—6 1-oz. Balls

BACK: With No. 1 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 3 Needles increasing to 128 sts. Work even in stockinette st until piece measures 11½ in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 6½ in. from underarm. Bind off 8 sts at beginning of each of next 4 rows, then 7 sts at beginning of each of next 4 rows. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 1 Needles cast on 84 sts. Work in ribbing of K 1, P 1, working a buttonhole 1½ in. from lower edge as follows (right side): K 1, P 1, K 1, bind off next 3 sts, work across row. Work back casting on 3 sts over the 3 bound off sts. Repeat buttonholes every 1½ in. from lower edge to neck edge, working last buttonhole just before binding off buttonhole band. When piece measures 3 in. from lower edge, work in rib pattern as follows (right side): **Row 1**—K 1, P 1, over the first 9 sts for buttonhole band, P 2, K 1, over remaining 75 sts. **Row 2**—P 1, K 2, over the first 75 sts, P 1, K 1, over last 9 sts. Repeat above 2 rows until pieces measures 11½ in. from lower edge. Keeping front edge even, bind off 11 sts at underarm edge once; decrease 1 st at underarm edge every other row 7 times. Work even until piece measures 5 in. from underarm. Keeping armhole edge even, bind off 9 sts at neck edge once, then 11 sts once. K 3 sts tog. at neck edge every other row 7 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times.

Work other side to correspond omitting buttonholes.

Sew shoulder and underarm seams.

SLEEVES: With No. 1 Needles cast on 77 sts. Work in ribbing of K 1, P 1, for 1½ in. K 1 row, increasing to 97 sts. Work in stockinette st until piece measures 3 in. from lower edge. Change to No. 3 Needles and continue stockinette st until piece measures 5 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 19 sts remain. Bind off.

Sew sleeve seams. Sew sleeves in place.

COLLAR: With No. 1 Needles, on wrong side of garment, pick up 33 sts across back of neck. K back increasing to 65 sts. Work in ribbing of P 2, K 1, picking up 6 sts at end of every row until 131 sts in all have been picked up from center of buttonhole band to center of button band. Change to No. 3 Needles and continue ribbing until collar measures 2½ in. at front edge. Bind off loosely.

•

PEASANT BLOUSE No. 4302

SIZE 14

1 Pr. Standard No. 4 Needles—14 in.
1 Pr. Standard No. 8 Needles—14 in.
1 Size 2 Steel Crochet Hook

SCALE: 6 sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
5 1-oz. Balls

BACK: With No. 4 Needles cast on 82 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 8 Needles and P 1 row increasing to 93 sts at even intervals across row. Work in pattern as follows:
Row 1 (right side)—K 2, * Y O, K 3, pass the first K st over the last 2 K sts; repeat from * across row ending K 1.
Row 2—Purl.
Row 3—K 1, * Y O, K 3, pass the first K st over the last 2 K sts; repeat from * across row ending K 2.
Row 4—Purl.
Repeat above 4 rows until piece measures 11½ in. from lower edge. Continuing pattern, bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 6 rows for shoulders. Bind off remaining sts for back of neck.

FRONT: With No. 4 Needles cast on 82 sts. Work in ribbing of K 2, P 2, for 3½ in. Change to No. 8 Needles increasing to 102 sts. Work same as back until piece measures 2 in. from underarm, then work as follows: work in pattern over the first 27 sts. Place on st-holder. Bind off next 24 sts for front of neck. On remaining 27 sts, work 2 rows even, then decrease 1 st at neck edge every other row 9 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 3 times.

Work other side to correspond.

Sew shoulder and underarm seams.

SLEEVES: With No. 8 Needles cast on 75 sts. Work in pattern as given for back until piece measures 3½ in. from lower edge. Bind 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times, then every 4th row 3 times. Bind off 3 sts at beginning of every row until 9 sts remain. Bind off.

Sew sleeve seams. Sew sleeves in place.

FINISHING: Work 1 row of s c around neck and lower edge of sleeves, then work 1 row of Picot sts over the s c row as follows: * ch 3, 1 sl st in the 3rd ch from hook, work 1 s c in each of next 3 sts; repeat from * to end of row. Fasten off. With contrasting color if desired, make a ch 40 in. long. Draw through the Y O openings around neck edge. Make a pompom for each end of ch by winding about 3 yds of yarn around a piece of cardboard 1½ in. wide. Remove and tie through the center. Trim as desired. Attach to each end of ch. Make 2 more chains for sleeves, 26 in. long. Finish with pompoms.

•

SLEEVELESS PULLOVER No. 4303

SIZE 14

1 Pr. Standard No. 1 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 2 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
6 1-oz. Balls

BACK: With No. 3 Needles cast on 124 sts. Work in stockinette st for 9 rows. K 1 row on wrong side for turning ridge. Work in pattern as follows (right side): **Row 1**—K 4, * K 2nd st on left hand needle, then K the first st, slip both sts from left hand needle, K 4; repeat from * across row. **Rows 2, 4, 6 and 8**—Purl. **Row 3**—Knit. **Row 5**—K 1, * K 2nd st on left hand needle, then K the first st, slip both sts from left hand needle, K 4; repeat from * across row ending K 1. **Row 7**—Knit. Repeat above 8 rows for pattern. When piece measures 4 in. from turning ridge, change to No. 1 Needles and continue pattern until piece measures 8 in. from turning ridge. Change to No. 3 Needles and work even until piece measures 13 in. from turning ridge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 8½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts for back of neck.

FRONT: Work same as back until piece measures 12 in. from turning ridge, then work as follows: work over 62 sts. Place on st-holder. On remaining 62 sts, work even until piece measures 13 in. from turning ridge. Keeping front edge even, bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 8 times. Work even until piece measures 6½ in. from underarm. Keeping armhole edge even, bind off 10 sts at neck edge once; decrease 1 st at neck edge every other row 6 times. Work even until piece measurs 8½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

(*Continued on page* 4)

Copyright, 1945, U. S. and Canada
Gottlieb Bros., N. Y.

SLEEVELESS PULLOVER
No. 4303

CLASSIC PULLOVER
No. 4304

No. 4303—(*Continued from page* 2)

Work other side to correspond.

Sew shoulder and underarm seams.

FINISHING: Work 2 rows of s c around armholes and entire neck opening, work 3 s c in corner sts. Turn hem under at lower edge of pullover on turning ridge and sew to wrong side.

•

CLASSIC PULLOVER No. 4304

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 2 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
1 1-oz. Ball Jungle Green — 8 1-oz. Balls Natural

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles increasing to 123 sts at even intervals across row. Work even in stockinette st until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 4 rows, then 8 sts at beginning of each of next 4 rows. Change to No. 2 Needles increasing to 39 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 5 in. from lower edge ending on wrong side, then work in pattern as given in **Fig. A** on chart as follows: **Row 1**—K 81 Natural (N), join Jungle Green (JG), K 2 J G, 1 N, 1 J G, 38 N. **Row 2**—P 35 N, 2 J G, 1 N, 1 J G, 1 N, 2 J G, 81 N. **Row 3**—K 80 N, 2 J G, 1 N, 2 J G, 1 N, 3 J G, 34 N. **Row 4**—P 28 N, 2 J G, 5 N, 1 J G, 2 N, 2 J G, 83 N. Continue following the chart until **Fig. A** is completed. Work 2 rows even in Natural, then start **Fig. B** on right side as follows: **Row 1**—K 43 N, 1 J G, 1 N, 2 J G, 76 N. **Row 2**—P 76 N, 2 J G, 1 N, 1 J G, 1 N, 2 J G, 40 N. Continue as given in **Fig. B** on chart until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until **Fig. B** is completed, then continue with Natural in stockinete st until piece measures 5 in. from underarm, ending on wrong side. Work over 37 sts. Place on st-holder. Bind off next 21 sts for front of neck. On remaining 37 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times.





Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 87 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off. Sew shoulder seams, leaving neckband ribbing free.

Sew underarm seams.

SLEEVES: With No. 2 Needles and Natural cast on 55 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 3 Needles increasing to 65 sts. Work in stockinette st increasing 1 st at each end on the 7th and every 10th row thereafter to 91 sts. Work even until piece measures 18 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 17 sts remain. Bind off.

Sew sleeve seams. Sew sleeves in place. Crochet 2 loops for buttonholes on each end of front neckband. Sew buttons to edge of back neckband.

•

STRIPED-FRONT PULLOVER No. 4305

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
1 1-oz. Ball Scarlet — 1 1-oz. Ball Corn
1 1-oz. Ball Jungle Green — 7 1-oz. Balls Natural

BACK: With No. 4 Needles and Natural cast on 120 sts. Work in stockinette st for 10 rows. P 1 row on right side for turning ridge. Work even in stockinette st until piece measures 6 in. from turning ridge. Change to No. 2 Needles and continue stockinette st until piece measures 11 in. from turning ridge. Change to No. 4 Needles and work even until piece measures 16½ in. from turning ridge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles and work in stockinette st for 5 rows, ending on right side. K 1 row on wrong side for turning ridge. K 1 row, P 1 row for 5 rows. Bind off.

FRONT: Work same as back, working in striped pattern instead of plain color as follows: starting from turning ridge, * work 4 rows Natural, 3 rows Jungle Green, 4 rows Natural, 3 rows Scarlet, 4 rows Natural, 3 rows Jungle Green, 4 rows Natural, 2 rows Corn, 4 rows Natural, 2 rows Corn, 4 rows Natural, 2 rows Corn, repeat from * to shoulder. When piece measures 4½ in. from underarm, work as follows: K over the first 36 sts. Place on st-holder. Bind off next 20 sts for front of neck. On remaining 36 sts, work 2 rows even, then decrease 1 st at neck edge every other row 8 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 80 sts from shoulder to shoulder. P 1 row, K 1 row, for 5 rows. P 1 row on right side for turning ridge. P 1 row, K 1 row for 5 rows. Bind off.

Sew shoulder and underarm seams. Turn neckband under on turning ridge and sew to wrong side.

SLEEVES: With No. 4 Needles and Natural cast on 80 sts. K 1 row, P 1 row, for 7 rows. K 1 row on P side for turning ridge. Work in stockinette st increasing 1 st at each end every 8th row to 88 sts. Work even until piece measures 4½ in. from turning ridge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 18 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place. Turn hems under at lower edge of pullover and sleeves and sew to wrong side.

•

RIBBED CLASSIC No. 4306

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.
1 Size 4 Double Pointed Needle

SCALE: 7½ sts to 1 in.

Jack Frost Sport Yarn or De Luxe Sport Zephyr
5 2-oz. Balls

BACK: With No. 4 Needles cast on 123 sts. Work in rib pattern as follows: **Row 1 (right side)**—P 3, * K 3, P 3; repeat from * across row. **Row 2**—K 3, * P 3, K 3; repeat from * across row.

(*Continued on page* 6)

STRIPED-FRONT PULLOVER
No. 4305

RIBBED CLASSIC
No. 4306

No. 4306—(*Continued from page 4*)

Repeat above 2 rows until piece measures 6 in. from lower edge, then work as follows (right side): **Row 1**—** P 3, * slip the next 6 sts to double pointed needle, hold in back of work, K the next 3 sts, then slip the 3 P sts from double pointed needle to left hand needle and P them, K the 3 sts from double pointed needle, P 3; repeat from * across row. Work in ribbing of K 3, P 3, for 9 rows, then work a cable twist across 10th row as follows (right side): P 3, K 3, P 3, * slip the next 6 sts onto the double pointed needle, hold in back of work, K the next 3 sts, then slip the 3 P sts from double pointed needle to left hand needle and P them, K the 3 sts from the double pointed needle, P 3; repeat from * across row ending last repeat P 3, K 3, P 3. Repeat from ** once. Work in ribbing of K 3, P 3, until piece measures 16 in. from lower edge, ending on wrong side. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. On next row work in cable pattern as given above, repeating from ** until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulder. Change to No. 2 Needles and work in ribbing of K 2, P 2, for 7 rows. Bind off.

FRONT: Work same as back until piece measures 4½ in. from underarm, ending on wrong side. Work over 39 sts. Place on st-holder. Bind off next 21 sts for front of neck. On remaining 39 sts, continuing pattern, work 2 rows even, then decrease 1 st at neck edge every other row 9 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 82 sts from end to end of neckband. Work in ribbing of K 2, P 2, for 7 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 99 sts. Work in ribbing of P 3, K 3, for 6 rows, work in cable pattern for 11 rows, then work in ribbing of K 3, P 3, until piece measures 2½ in. from lower edge. Change to No. 4 Needles and continue ribbing until piece measures 5 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times; then every 4th row 3 times. Bind off 2 sts at beginning of every row until 29 sts remain. Bind off.

Sew sleeve seams. Sew sleeves in place.

•

RIBBED PULLOVER No. 4307

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.

1 Pr. Standard No. 6 Needles—14 in.

SCALE: 6 sts to 1 in

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
7 1-oz. Balls

BACK: With No. 6 Needles cast on 101 sts. Work in ribbing of K 1, P 1, for 2 in. then work in rib pattern as follows: **Row 1 (right side)**—K 1, P 2, * K 5, P 2, K 1, P 2; repeat from * across row ending K 5, P 2, K 1. **Row 2**—P 1, K 2, * P 5, K 2, P 1, K 2, repeat from * across row ending P 5, K 2, P 1. The above 2 rows form pattern. Repeat them until piece measures 16 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 8 rows. On remaining sts, increase to 35 sts. Work in ribbing of K 1, P 1, for 4 rows. Bind off.

FRONT: Work same as back until piece measures 4 in. from underarm, then work as follows: work over 24 sts. Place on st-holder. Bind off next 29 sts for front of neck. On remaining 24 sts, work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 4 times.

Work other side to correspond.

FRONT NECKBAND: With No. 6 Needles, on right side of garment, pick up 25 sts from left shoulder to corner, 1 st at corner, 31 sts across front neck edge to next corner, 1 st at corner, 25 sts from corner to right shoulder. Work as follows: **Row 1**—K 1, P 1, over 23 sts, P 2 tog, P next st (corner st), P 2 tog, K 1, P 1, over next 27 sts, P 2 tog, P 1 (corner st), P 2 tog, K 1, P 1, over remaining 23 sts. **Row 2**—P 1, K 1, over first 22 sts, P 2 tog, K 1, P 2 tog, K 1, P 1, over next 25 sts, P 2 tog, K 1, P 2 tog, K 1, P 1, over remaining 22 sts. Continue working as described above, decreasing 1 st at each side of corner sts, for 2 more rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 51 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 6 Needles and work in pattern, increasing 1 st at each end every 8th row 4 times, then every 10th row 8 times (75 sts). Work even until piece measures 18 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 17 sts remain. Bind off.

Sew sleeve seams. Sew sleeves in place.

•

FINGERING FLEECE BLOUSE No. 4308

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.
1 Size 2 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
7 1-oz. Balls

BACK: With No. 4 Needles cast on 125 sts. Work in rib pattern as follows: **Row 1 (right side)**—P 2, * K 1, P 2; repeat from * across row. **Row 2**—K 2, * P 1, K 2; repeat from * across row. Repeat above 2 rows until piece measures 3¼ in. from lower edge, then work in stockinette st until piece measures 6 in. from lower edge. Change to No. 2 Needles and work in rib pattern until piece measures 9½ in. from lower edge. Change to No. 4 Needles and work in stockinette st until piece measures 12½ in. from lower edge. Continue alternating rib pattern and stockinette st as described above to neck edge. When piece measures 15½ in. from lower edge, bind off 7 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 8 times. Work even until piece measures 3¼ in. from underarm, then work as follows (right side): work in rib pattern over the first 48 sts. Place on st-holder. On remaining 47 sts, increase 1 st in the first st, K 1, P 2, across row. Continue in pattern over the 48 sts until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

Work other side to correspond.

FRONT: Work same as back until piece measures 5¼ in. from underarm, then work as follows: work over 35 sts. Place on st-holder. Bind off next 25 sts for front of neck. On remaining 35 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work other side to correspond.

NECKBAND: With No. 2 Needles on right side of garment, pick up 104 sts from end to end of neckband. Work in ribbing of K 2, P 1, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 77 sts. Work in rib pattern as given for back until piece measures 1½ in. from lower edge. Change to No. 4 Needles increasing to 86 sts. Work in stockinette st, increasing 1 st at each end every 4th row to 94 sts. Work even until piece measures 4½ in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 18 sts remain. Bind off.

Sew sleeve seams. Sew sleeves in place.

FINISHING: Work 1 row of s c around neck opening, working 3 loops for buttonholes on right side.

RIBBED PULLOVER
No. 4307

FINGERING FLEECE BLOUSE
No. 4308

CABLE-STITCH CARDIGAN No. 4309

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 3 Double Pointed Needle
1 Size 3 Steel Crochet Hook

SCALE: 8½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
12 1-oz. Balls

BACK: With No. 3 Needles cast on 145 sts. Work in ribbing of K 1, P 1, for 2 in. P 1 row increasing to 146 sts. Work in pattern as follows: **Row 1**—K 3, * P 2, K 6, P 2, K 3; repeat from * across row. **Row 2**—Purl. Repeat above 2 rows for pattern, working a cable twist over the ribs of K 6 on the 7th and every 10th row thereafter as follows: slip the first 3 sts onto double pointed needle, hold in back of work, K the next 3 sts, then bring the 3 slipped sts forward and K them. When piece measures 15 in. from lower edge, bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 7 in. from underarm. Bind off 8 sts at beginning of each of next 4 rows, then 9 sts at beginning of each of next 4 rows. Change to No. 2 Needles decreasing to 41 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

RIGHT FRONT: With No. 3 Needles cast on 90 sts. Work in ribbing of K 1, P 1 (right side), for 1 in., then work first buttonhole as follows: K 1, P 1, over the first 3 sts, bind off next 3 sts, work across row. Work back casting on 3 sts over the bound off sts. Repeat buttonholes every 2 in. to neck edge, working last buttonhole in neckband. When piece measures 2 in. from lower edge, keeping first 9 sts worked in ribbing of K 1, P 1, for buttonhole band, work remaining sts in pattern as on back, until piece measures 15 in. from lower edge. Keeping front edge even, bind off 13 sts at underarm edge once; decrease 1 st at underarm edge every other row 13 times. Work even until piece measures 5½ in. from underarm. Keeping armhole edge even, work over first 9 sts, place on st-holder. Bind off next 12 sts, work across row. Work 2 rows even, then decrease 1 st at neck edge every other row 7 times. Work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 9 sts every other row 4 times.

Work left front to correspond.

Sew shoulder and underarm seams.

NECKBAND: With No. 2 Needles, on right side of garment, pick up 113 sts from end to end of neckband, including sts which were placed on st-holder. K 1, P 1, for 8 rows. Bind off.

SLEEVES: With No. 2 Needles cast on 59 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles increasing to 81 sts. Work in pattern, increasing 1 st at each end every 8th row 6 times, then every 12th row 7 times. Work even until piece measures 18 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 9 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 25 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place. Work 1 row of s c on front edges.

•

MATCHING SLEEVELESS PULLOVER No. 4310

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 3 Double Pointed Needle

SCALE: 8½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
5 1-oz. Balls

BACK: With No. 2 Needles cast on 101 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles; P 1 row increasing to 146 sts at even intervals across row. Work in pattern as given for cardigan No. 4309 until piece measures 10 in. from lower edge. Bind off 13 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 13 times. Work even until piece measures 8½ in. from underarm. Bind off 9 sts at beginning of each of next 6 rows for shoulders. Change to No. 2 Needles, decreasing to 39 sts. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

FRONT: With No. 2 Needles cast on 101 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles; P 1 row increasing to 146 sts. Work same as back until all sts have been decreased at underarm, then work as follows: Work over 47 sts. Place on st-holder. On remaining 47 sts, work 2 rows even, then decrease 1 st at neck edge every other row 8 times, then every 3rd row 12 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 9 sts every other row 3 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 75 sts from shoulder to point of V, 1 st at point of V, and 75 sts from point of V to shoulder. Work in ribbing of K 1, P 1, decreasing 1 st at each side of st at point of V, every row, for 7 rows. Bind off, decreasing 1 st at each side of st at point of V.

Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles, on right side of garment, pick up 181 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew underarm seams.

•

SLEEVELESS PULLOVER No. 4311

SIZE 14 TO 16

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 3 Double Pointed Needle

SCALE: 8 sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
4 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles increasing to 136 sts. Work in pattern as follows (right side): **Rows 1 to 7 inclusive**— K 1 row, P 1 row. **Row 8**—* P 10, slip next st as if to P onto the D P N (double pointed needle) hold in front of work, K next 3 sts, then K the st from the D P N; repeat from * across row ending P 10. **Row 9**—K 10, * P 4, K 10; repeat from * across row. **Row 10**—P 10, * K 4, P 10; repeat from * across row. **Row 11**—Repeat row 9. **Row 12**—Repeat row 10. **Row 13**—Repeat row 9. **Row 14**—Repeat row 8. **Rows 15 to 21 inclusive**—K 1 row, P 1 row. **Row 22**—P 3, * work a cable twist over the next 4 sts as described for row 8, P 10; repeat from * across row ending P 3. **Row 23**—K 3, * P 4, K 10; repeat from * across row ending K 3. **Row 24**—P 3, * K 4, P 10; repeat from * across row ending P 3. **Row 25**—Repeat row 23. **Row 26**—Repeat row 24. **Row 27**—Repeat row 23. **Row 28**—Repeat row 22. The above 28 rows form pattern. Repeat them until piece measures 10 in. from lower edge. Continuing pattern, bind off 9 sts at beginning of each of next 2 rows for underarm, then 2 sts at beginning of each of next 12 rows. Work even until piece measures 8½ in. from underarm. Bind off 9 sts at beginning of each of next 6 rows for shoulder. Change to No. 2 Needles increasing to 41 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 6 in. from underarm, then divide for front opening as follows: work over 36 sts, place on st-holder. Bind off next 22 sts for front of neck. On remaining 36 sts, work 2 rows even then decrease 1 st at neck edge every other row 9 times. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 9 sts every other row 3 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 79 sts from shoulder to shoulder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew shoulder seams.

ARMHOLE BANDS: With No. 2 Needles on right side of garment, pick up 151 from end to end of armhole. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

Sew underarm seams.

CABLE-STITCH CARDIGAN
No. 4309

MATCHING SLEEVELESS PULLOVER
No. 4310

SLEEVELESS PULLOVER
No. 4311

MATCHING CARDIGAN
No. 4312

STRIPED SPORT SHIRT
No. 4313

CREW-NECK BLOUSE
No. 4314

MATCHING CARDIGAN No. 4312

SIZE 14 TO 16

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 3 Double Pointed Needle

SCALE: 8 sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
10 1-oz. Balls

BACK: With No. 3 Needles cast on 136 sts. Work in ribbing of K 1, P 1, for 2 in. Discontinue ribbing and work in pattern as given for No. 4311 until piece measures 16 in. from lower edge. Bind off 9 sts at beginning of each of the next 2 rows for underarm. Decrease 1 st at each end every other row 7 times. Work even until piece measures 7 in. from underarm. Bind off 8 sts at beginning of each of the next 8 rows for shoulders. Change to No. 2 Needles increasing to 41 sts. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

RIGHT FRONT: With No. 3 Needles cast on 79 sts. Work in ribbing of K 1, P 1, for 1 in. then work first buttonhole as follows: K 1, P 1, over the first 3 sts, bind off next 3 sts, work across row. Work back casting on 3 sts over the bound off sts. Repeat buttonholes every 2 in. to neck edge, working last buttonhole on the 3rd row of neckband. When ribbing measures 2 in. from lower edge, keeping first 9 sts worked in ribbing for buttonhole band, work remaining sts in pattern as follows (right side):

Row 1—P 1, K 1, over the first 9 sts, K across row.
Row 2—P to within the last 9 sts, K 1, P 1, over last 9 sts.
Row 3—Repeat row 1.
Row 4—Repeat row 2.
Row 5—Repeat row 1.
Row 6—Repeat row 2.
Row 7—Repeat row 1.
Row 8—P 3, * work a cable twist over the next 4 sts, P 10; repeat from * across row ending P 7; K 1, P 1, over the last 9 sts.
Row 9—P 1, K 1, over the first 9 sts, K 7, * P 4, K 10; repeat from * across row ending K 3.
Row 10—P 3, * K 4, P 10; repeat from * across row ending P 7; K 1, P 1, over last 9 sts.
Row 11—Repeat row 9.
Row 12—Repeat row 10.
Row 13—Repeat row 9.
Row 14—Repeat row 8.
Rows 15 to 21 inclusive—K 1 row, P 1 row, working the first 9 sts in ribbing of K 1, P 1, for buttonhole band.
Row 22—* P 10, work a cable twist over the next 4 sts; repeat from * across row ending with K 1, P 1, over the last 9 sts.
Row 23—P 1, K 1, over the first 9 sts, * P 4, K 10; repeat from * across row ending K 10.
Row 24—* P 10, K 4; repeat from * across row ending K 4; K 1, P 1, over last 9 sts.
Row 25—Repeat row 23.
Row 26—Repeat row 24.
Row 27—Repeat row 23.
Row 28—Repeat row 22.

Repeat above 28 rows until piece measures 16 in. from lower edge. Keeping front edge even, bind off 9 sts at underarm edge once, then decrease 1 st at underarm edge every other row 7 times. Work even until piece measures 5 in. from underarm. Keeping armhole edge even, work in ribbing over the first 9 sts, place on st-holder. Bind off 8 sts at neck edge every other row 2 times, then decrease 1 st at neck edge every other row 6 times. Work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 8 sts every other row 4 times.

Work left front to correspond omitting buttonholes.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 59 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 3 Needles increasing to 66 sts. Work in pattern increasing 1 st at each end every 8th row to 94 sts. Work even until piece measures 18 in. from lower edge. Bind off 9 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row to 22 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

NECKBAND: With No. 2 Needles on right side of garment, pick up 113 sts from end to end of neckband, including sts which were placed on st-holder. Work in ribbing of K 1, P 1, for 8 rows. Bind off.

STRIPED SPORT SHIRT No. 4313

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
6 1-oz. Balls Corn 1 1-oz. Ball Scarlet
1 1-oz. Ball Robin Blue

BACK: With Corn and No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles increasing to 118 sts. Work in striped pattern as follows: * 2 rows Robin Blue, 2 rows Corn, 2 rows Scarlet, 4 in. Corn; repeat from * to neck edge. When piece measures 12 in. from lower edge, bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of the next 8 rows for shoulders. Change to No. 2 Needles and K 1 row, P 1 row, for 5 rows. K 1 row on P side for turning ridge. K 1 row, P 1 row, for 5 rows. Bind off.

FRONT—Work same as back until piece measures 5 in. from underarm, then work as follows: work over 34 sts. Place on st-holder. Bind off next 22 sts for front of neck. On remaining 34 sts, work 2 rows even, then decrease 1 st at neck edge every other row 6 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles and Corn on right side of garment, pick up 76 sts across neck edge from shoulder to shoulder. P 1 row, K 1 row, for 5 rows. P 1 row on right side for turning ridge. P 1 row, K 1 row, for 5 rows. Bind off. Sew shoulder and underarm seams. Turn neckband under on turning ridge and sew to wrong side.

SLEEVES: With No. 2 Needles and Corn cast on 78 sts. K 1 row, P 1 row, for 6 rows. P 1 row on K side for turning ridge. Work in stockinette st until piece measures 1½ in. from turning ridge. Change to No. 4 Needles and continue stockinette st increasing 1 st at each end on the next and every 4th row thereafter to 84 sts. Work even until piece measures 3½ in. from turning ridge. Bind off 7 sts at beginning of each of next 2 rows for underarm; then working in striped pattern, decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 22 sts remain. Sew sleeve seams. Sew sleeves in place. Turn hem under on turning ridge and sew to wrong side.

•

CREW-NECK BLOUSE No. 4314

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 5 Needles—14 in.

SCALE: 6½ sts to 1 in.

Jack Frost Featherweight Floss—6 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 5 Needles increasing to 111 sts. Work in pattern as follows: **Row 1**—K 4, * P 1, K 5; repeat from * across row ending P 1, K 4. **Row 2**—K 3, * P 1, K 1, P 1, K 3; repeat from * across row. Repeat above 2 rows until piece measures 12 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 6 times. Work even until piece measures 4 in. from underarm. Discontinue pattern and work in ribbing of K 1, P 1, until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 6 rows. Bind off remaining sts for back of neck.

FRONT: Work same as back, increasing to 117 sts instead of 111 sts after the ribbing.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 72 sts. Work in ribbing of K 1, P 1, for 1½ in. Work in pattern increasing to 75 sts on the first row. When piece measures 2½ in. from lower edge,

(*Continued on page* 16)

SQUARE-NECK BLOUSE
No. 4315

NOVELTY CABLE-STITCH BLOUSE
No. 4316

No. 4314—(*Continued from page* 14)

change to No. 5 Needles and continue pattern until piece measures 5 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm. Decrease 1 st at each end every other row 6 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place.

•

SQUARE-NECK BLOUSE No. 4315

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
6 1-oz. Balls

BACK: With No. 2 Needles cast on 99 sts. Work in ribbing of K 1, P 1, for 3½ in. Change to No. 4 Needles increasing to 129 sts. Work in pattern as follows: **Row 1**—K 3, * P 1, K 1, P 1, K 3; repeat from * across row. **Row 2**—K 4, * P 1, K 5, repeat from * across row ending last repeat K 4. Repeat above 2 rows until piece measures 12 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 6½ in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulder. Change to No. 2 Needles and work in ribbing of K 1, P 1, for 7 rows. Bind off.

FRONT: Work same as back until piece measures 4 in. from underarm, then work over 30 sts. Place on st-holder. Bind off next 41 sts for front of neck. On remaining 30 sts, work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 36 sts from left shoulder to corner, 1 st in corner, 43 sts across front of neck from left corner to right corner, 1 st in corner, 36 sts from corner to right shoulder. Work in ribbing of K 1, P 1, decreasing 1 st at each side of corner st on every row, for 7 rows. Bind off, decreasing at corners.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 75 sts. Work in ribbing of K 1, P 1, for 1½ in. Change to No. 4 Needles increasing to 81 sts. Work in pattern as on back, increasing 1 st at each end on the 7th and every 8th row thereafter to 87 sts. Work even until piece measures 4½ in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 5 times. Bind off 2 sts at beginning of every row to 25 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

•

NOVELTY CABLE-STITCH BLOUSE No. 4316

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.
1 Size 4 Double Pointed Needle

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
6 1-oz. Balls

BACK: With No. 2 Needles cast on 94 sts. Work in ribbing of K 2, P 2, for 3 in. Change to No. 4 Needles increasing to 134 sts. K 1 row, P 1 row, for 10 rows, then work a cable st row (right side). K 2, * work a cable twist over the next 10 sts as follows: slip the first 5 sts onto the double pointed needle, hold in back of work. K the next 5 sts, then bring the 5 slipped sts forward and K them, K 10; repeat from * across row ending K 2. Repeat cable twists every 18th row to yoke. When piece measures 12 in. from lower edge, bind off 10 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 10 times. Discontinue cable pattern, and work yoke in ribbing of P 2, K 2, until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Change to No. 2 Needles and work in ribbing of K 2, P 2, for 8 rows. Bind off.

FRONT: Work same as back until piece measures 5 in. from underarm, then work as follows: work over first 36 sts. Place on st-holder. Bind off next 22 sts for front of neck. On remaining 36 sts, work 2 rows even, then decrease 1 st at neck edge every other row 8 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles, on right side of garment, pick up 74 sts from shoulder to shoulder. Work in ribbing of K 2, P 2, for 8 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 78 sts. Work in ribbing of K 2, P 2, for 1½ in. P 1 row, increasing to 94 sts. Work in pattern as given for back until piece measures 3 in. from lower edge. Change to No. 4 Needles and continue pattern until piece measures 5 in. from lower edge. Bind off 10 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 10 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row to 24 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

•

FINGERING FLEECE PULLOVER No. 4317

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.

SCALE: 7 sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
7 1-oz. Balls

BACK: With No. 4 Needles cast on 119 sts. Work in ribbing of K 1, P 1, for 2 in. K 1 row increasing to 120 sts. Work even in stockinette st until piece measures 14 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 6½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows. Change to No. 2 Needles increasing to 37 sts. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

FRONT: With No. 4 Needles cast on 119 sts. Work in ribbing of K 1, P 1, for 2 in. K 1 row increasing to 120 sts. Work in pattern as follows:
Row 1 (wrong side)—* P 1, yarn forward, slip 1 st (always slip st as if to P), K 5; repeat from * ending P 1.
Row 2—* K 1, P 4, twist next 2 sts as follows: skip next st, K 2nd st on left hand needle from back (do not drop from needle), P the skipped st, drop both sts from needle; repeat from * ending K 1.
Row 3—* P 1, K 1, bring yarn forward, slip next st, K 4; repeat from * ending P 1.
Row 4—* K 1, P 3, twist next 2 sts (see Row 2), P 1; repeat from * ending K 1.
Row 5—* P 1, K 2, yarn forward, slip 1, K 3; repeat from * ending P 1.
Row 6—K 1, P 2, twist next 2 sts, P 2; repeat from * ending K 1.
Row 7— *P 1, K 3, yarn forward, slip 1, K 2; repeat from * ending P 1.
Row 8—* K 1, P 1, twist next 2 sts, P 3; repeat from * ending K 1.
Row 9—* P 1, K 4, yarn forward, slip 1, K 1; repeat from * ending P 1.
Row 10—* K 1, twist next 2 sts, P 4; repeat from * ending K 1.
Row 11—* P 1, K 5, yarn forward, slip 1; repeat from * ending P 1.
Row 12—K 2 tog., * P 5, twist next 2 sts; repeat from * ending P 4, increase 1 st in next st, K 1. The above 12 rows form pattern. Repeat them until piece measures 14 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times. Work even in pattern until piece measures 5 in. from underarm. Work over 33 sts. Place on st-holder. Bind off next 26 sts for front of neck. On

(*Continued on page* 18)

FINGERING FLEECE PULLOVER
No. 4317

CABLE-RIB CARDIGAN
No. 4318

No. 4317—(*Continued from page* 16)

remaining 33 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times.

Work other side to correspond.

FRONT NECKBAND: With No. 2 Needles on right side of garment, pick up 79 sts from end to end of neckband. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew shoulder and underarm seams.

SLEEVES: With No. 2 Needles cast on 57 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 4 Needles increasing to 60 sts. Work in stockinette st for 2 in., then continuing stockinette st, increase 1 st at each end of the next and every 10th row thereafter to 86 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 6 times; then every 4th row 3 times. Bind off 2 sts at beginning of every row to 16 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

•

CABLE-RIB CARDIGAN No. 4318

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 2 Steel Crochet Hook
1 Size 3 Double Pointed Needle

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
9 1-oz. Balls

BACK: With No. 2 Needles cast on 132 sts. Work in pattern as follows: **Row 1**—P 2, * K 4, P 2, K 2, P 2; repeat from * across row. **Row 2**—K 2, * P 4, K 2, P 2, K 2; repeat from * across row. Repeat above 2 rows working a cable twist over the ribs of K 4, on the 3rd and every 6th row thereafter as follows: slip the first 2 sts onto the double pointed needle, hold in back of work. K the next 2 sts, then bring the 2 sts which were slipped, forward, and K them. When piece measures 6½ in. from lower edge, change to No. 3 Needles decreasing to 127 sts at even intervals across row. Work even in stockinette st until piece measures 14 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 7 in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 2 Needles cast on 74 sts. Starting at front edge, work in pattern as follows: **Row 1**—* K 2, P 2, K 4, P 2; repeat from * across row, ending K 2, P 2. **Row 2**—K 2, P 2, * K 2, P 4, K 2, P 2; repeat from * across row. Repeat above 2 rows working a cable twist over the ribs of K 4, as described for back, working a buttonhole on the 5th and every 18th row thereafter until 5 butonholes in all have been made, as follows (right side): K 2, P 2, K 1, bind off next 2 sts, work across row. Work back casting on 2 sts over the bound off sts. When piece measures 6½ in. from lower edge, change to No. 3 Needles. Keeping the first 10 sts worked in cable st pattern to neck edge, work remaining sts in stockinette st, decreasing 1 st at front edge after the last buttonhole has been made, as follows (right side): K 2, P 2, K 4, P 2, slip 1 st, K 1 st, pass slipped st over the K st, work across row. Repeat decreases every 6th row until 40 sts remain. When piece measures 14 in. from lower edge, bind off 8 sts at underarm edge once, then decrease 1 st at underarm edge every other row 8 times. Keeping underarm edge even, continue decreases at front edge until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work even in pattern on remaining 10 sts for 2½ in. Bind off.

Work left front to correspond omitting buttonholes; decreasing at front edge by knitting 2 sts tog. instead of slip K and pass.

Sew shoulder and underarm seams. Sew band tog. at center back and sew to neck edge of cardigan.

SLEEVES: With No. 2 Needles cast on 52 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 3 Needles, K 1 row increasing to 60 sts at even intervals across row. Work in stockinette st, increasing 1 st at each end every 8th row to 92 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 8 times. Work even on remaining 60 sts until piece measures 4 in. from bound off sts at underarm; decrease 1 st at each end every other row 3 times. Bind off 3 sts at beginning of every row until 18 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place. Work 1 row of s c around entire front opening.

•

CLASSIC CARDIGAN No. 4319

SIZE 14

1 Pr. Standard No. 1 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 2 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
9 1-oz. Balls

BACK: With No. 1 Needles cast on 127 sts. Work in ribbing of K 1, P 1, for 6½ in. Change to No. 3 Needles and work even in stockinette st until piece measures 14 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 7 in. from underarm. Bind off 6 sts at beginning of each of next 10 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 1 Needles cast on 74 sts. Work in ribbing of K 1, P 1, working a buttonhole at front edge on the 5th and every 18th row thereafter until 5 buttonholes in all have been made, as follows: K 1, P 1, over the first 4 sts, bind off next 2 sts, work across row. Work back, casting on 2 sts over the bound off sts. When piece measures 6½ in. from lower edge, change to No. 3 Needles. Keeping the first 10 sts worked in ribbing of K 1, P 1, to neck edge, and remaining sts in stockinette st, decrease 1 st at front edge after the last buttonhole as follows: K 1, P 1, over the first 10 sts, slip the next st, K the next st, pass the slipped st over the K st, work across row. Repeat decreases every 6th row until 40 sts remain. When piece measures 14 in. from lower edge, bind off 8 sts at underarm edge once; decrease 1 st at underarm edge every other row 8 times. Continuing decreases at front edge, work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Work even in ribbing on remaining 10 sts for 2½ in. Bind off.

Work other side to correspond, omitting buttonholes; decreasing at front edge by knitting 2 tog. instead of slip K and pass.

Sew shoulder and underarm seams. Sew band tog. at center back and sew to neck edge.

SLEEVES: With No. 1 Needles cast on 52 sts. Work in ribbing of K 1, P 1, for 3 in. Change to No. 3 Needles, K 1 row increasing to 60 sts at even intervals across row. Work in stockinette st, increasing 1 st at each end every 8th row to 92 sts. Work even until sleeve measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows; decrease 1 st at each end every other row 8 times. Work even on remaining 60 sts until piece measures 4 in. from bound off sts at underarm; decrease 1 st at each end every other row 3 times. Bind off 3 sts at beginning of every row until 18 sts remain. Bind off remaining sts.

Sew sleeve seams. Sew sleeves in place. Work 1 row of s c around entire front opening.

•

LONG-TORSO PULLOVER No. 4320

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 3 Steel Crochet Hook

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
8 1-oz. Balls

BACK: With No. 3 Needles cast on 126 sts. Work even in stockinette st for 2 in. ending on wrong side. K 1 row for turning

(*Continued on page* 20)

CLASSIC CARDIGAN
No. 4319

LONG-TORSO PULLOVER
No. 4320

No. 4320—(*Continued from page* 18)

ridge. On next row (wrong side), P 1 row, K 1 row (stockinette st), for 2 in. Continuing stockinette st, decrease 1 st at each end on the next row and every 8th row thereafter to 114 sts. Work even until piece measures 6 in. from turning ridge. Change to No. 2 Needles and work even until piece measures 10 in. from turning ridge. Change to No. 3 Needles and continue stockinette st, increasing 1 st at each end on the next and every 8th row thereafter to 126 sts. Work even until piece measures 16 in. from turning ridge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 5 in. from underarm, then work as follows (right side): K 49 sts. Place on st-holder. On remaining 49 sts, work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times. Bind off remaining sts.

Work other side to correspond.

FRONT: Work same as back until piece measures 5 in. from underarm, then work as follows (right side): K 35 sts. Place on st-holder. Bind off next 28 sts for front of neck. On remaining 35 sts, work 2 rows even, then decrease 1 st at neck edge every other row 5 times. Work even until piece measures 6½ in. from underarm. Starting at shoulder edge, bind off 6 sts every other row 5 times.

Work other side to correspond.

Sew shoulder and underarm seams.

COLLAR: With No. 2 Needles on wrong side of garment, pick up 114 sts from end to end of neckband. P 1 row, K 1 row, for 12 rows. Change to No. 3 Needles and continue stockinette st until collar measures 2½ in. from picked up row. Bind off.

SLEEVES: With No. 3 Needles cast on 78 sts. K 1 row for 1½ in., ending on K side. Starting on P side, K 1 row, P 1 row, increasing 1 st at each end every 6th row to 88 sts. Work even until piece measures 7 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 5 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row to 18 sts. Bind off.

Sew sleeve seams. Sew sleeves in place.

FINISHING: Work 1 row of s c around back neck opening, working 3 loops for buttonholes on right side. Work 1 row of s c around edge of collar. Turn band up on lower edge of garment. Work 1 row of s c around turning ridge. Work 1 row of s c around top of band. Tack to garment. Turn cuff up at lower edge of sleeve on turning ridge. Work 1 row of s c around turning ridge, and upper edge of cuff. Tack to garment.

•

SLEEVELESS CARDIGAN No. 4321

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 4 Needles—14 in.

SCALE: 7 sts to 1 in.

Jack Frost Sport Yarn—3 2-oz. Balls

BACK: With No. 2 Needles cast on 91 sts. Work in ribbing of P 1, K 1, for 3½ in. Change to No. 4 Needles increasing to 115 sts. Work even in stockinette st until piece measures 10 in. from lower edge. Bind off 5 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 8 times. Work even until piece measures 8½ in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 2 Needles cast on 57 sts. Work in ribbing of P 1, K 1, for 3½ in. working a buttonhole ½ in. from lower edge and every 1½ in. thereafter until 3 buttonholes in all have been made, as follows: P 1, K 1, P 1, bind off next 3 sts, work across row. Work back casting on 3 sts over the bound off sts. When piece measures 3½ in. from lower edge, change to No. 4 Needles and keeping the first 9 sts worked in ribbing for buttonhole band, work the remaining sts in stockinette st, decreasing 1 st at front edge on the 9th row from ribbing and every 8th row thereafter as follows: P 1, K 1, over the first 9 sts, slip the next st onto the left hand Needle, K the next st, pass the slipped st over the K st, work across row. When piece measures 10 in. from lower edge, bind off 5 sts at underarm edge once, then decrease 1 st at underarm edge every other row 8 times. Continuing decreases at front edge, work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times. Work in ribbing of P 1, K 1, over the remaining 9 sts for 2½ in. Bind off.

Work left front to correspond, decreasing at front edge by knitting 2 tog. instead of slip, K, and pass.

Sew shoulder seams. Sew band tog. and sew to back of neck.

ARMHOLES: With No. 2 Needles on right side of garment, pick up 162 sts from end to end of armhole. Work in ribbing of K 1, P 1, for 7 rows. Bind off.

Sew underarm seams.

•

FINGERING FLEECE SLEEVELESS PULLOVER No. 4322

SIZE 14 TO 16

1 Pr. Standard No. 1 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.

SCALE: 7½ sts to 1 in.

Jack Frost Fingering Fleece or Gold Medal Fingering Yarn
6 1-oz. Balls

BACK: With No. 1 Needles cast on 129 sts. Work in rib pattern as follows: **Row 1**—P 3, * K 1, P 1, K 1, P 3; repeat from * across row. **Row 2**—K 3, * P 1, K 1, P 1, K 3; repeat from * across row. Repeat above 2 rows until piece measures 6 in. from lower edge; change to No. 3 Needles and continue ribbing until piece measures 10 in. from lower edge. Decrease to 128 sts, then work in pattern as follows: **Row 1**—P 2, * K 4, P 2; repeat from * across row. **Row 2**—K 2, * P 4, K 2; repeat from * across row. **Row 3**—Repeat Row 1. **Row 4**—Repeat Row 2. **Row 5**—P 3, * K 2, P 4; repeat from * across row ending last repeat P 3. **Row 6**—K 3, * P 2, K 4; repeat from * across row ending last repeat K 3. **Row 7**—Repeat Row 5. **Row 8**—Repeat Row 6. **Row 9**—Purl. **Row 10**—Knit. Repeat above 10 rows for pattern until piece measures 13 in. from lower edge. Bind off 6 sts at beginning of each of next 2 rows for underarm; then 2 sts at beginning of each of next 12 rows. Work even until piece measures 8½ in. from underarm. Bind off 7 sts at beginning of each of next 6 rows for shoulders. Change to No. 1 Needles decreasing to 45 sts. Work in rib pattern as given for back for 8 rows. Bind off.

FRONT: With No. 1 Needles cast on 129 sts. Work to correspond to back to underarm, working rib pattern as given for back starting with K 1, P 1, K 1, instead of P 3. Bind off 6 sts at beginning of each of next 2 rows for underarm, then 2 sts at beginning of each of next 12 rows, then divide work as follows: work in pattern over the first 46 sts. Place on st-holder. On remaining 46 sts work 2 rows even, then decrease 1 st at neck edge every 3rd row to 21 sts. Work even until piece measures 8½ in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 3 times.

Work other side to correspond.

FRONT NECKBAND: With No. 1 Needles on right side of garment, pick up 80 sts from shoulder to point of V, 1 st at point of V, 80 sts from point of V to shoulder. Work in rib pattern as given for back, starting with a K 1, P 1, K 1, instead of P 3, for 8 rows, decreasing 1 st at each side of st at point of V on every row. Bind off, decreasing at point of V as given above.

Sew shoulder seams.

ARMHOLE BANDS: With No. 1 Needles on right side of garment, pick up 183 sts from end to end of armhole. Work in rib pattern as given for back for 8 rows. Bind off.

Sew underarm seams.

SLEEVELESS CARDIGAN
No. 4321

FINGERING FLEECE SLEEVELESS PULLOVER
No. 4322

TAILORED CARDIGAN No. 4323

SIZE 14

1 Pr. Standard No. 2 Needles—14 in.
1 Pr. Standard No. 3 Needles—14 in.
1 Size 2 Steel Crochet Hook

SCALE: 7 sts to 1 in.

Jack Frost Sport Yarn or De Luxe Sport Zephyr
Main Color—4 2-oz. Balls Contrasting Color—1 2-oz. Ball

BACK: With No. 3 Needles cast on 121 sts. Work in pattern as follows: **Row 1 (wrong side)**—* K 1, P 1; repeat from * across row. **Row 2**—Knit. **Row 3**—Purl. **Row 4**—Knit. **Row 5**—* P 1, K 1; repeat from * across row. **Row 6**—Knit. **Row 7**—Purl. **Row 8**—Knit. The above 8 rows form pattern. Repeat them until piece measures 6 in. from lower edge. Change to No. 2 Needles and continue pattern until piece measures 10½ in. from lower edge. Change to No. 3 Needles and continue pattern until piece measures 16½ in. from lower edge. Continuing pattern, bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 7 in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts for back of neck.

POCKET LINING: With No. 3 Needles cast on 31 sts. Work in pattern for 4½ in. Place on st-holder.

RIGHT FRONT: With No. 3 Needles cast on 65 sts. Work in pattern increasing 1 st at front edge on the 2nd row and every other row thereafter to 69 sts. Work even until piece measures 6 in. from lower edge, then bind off for pocket opening as follows (right side): work over the first 25 sts, bind off next 31 sts, work across row. Work back over the first 13 sts, place pocket lining on left hand needle, work across row. Change to No. 2 Needles and work even until piece measures 7 in. from lower edge, then work a buttonhole as follows (right side): work over first 3 sts, bind off next 3 sts for buttonhole, work across row. Work back casting on 3 sts over the bound off sts. Work even until piece measures 10 in. from lower edge, then keeping underarm edge even, start decreasing 1 st at front edge on the next row and every 5th row thereafter to 28 sts. When piece measures 12 in. from lower edge, change to No. 3 Needles and continue pattern until piece measures 16½ in. from lower edge. Bind off 8 sts at underarm edge once, then decrease 1 st at underarm edge every other row 7 times. Work in pattern keeping armhole edge even, until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times.

Work left side to correspond, omitting buttonholes.

Sew shoulder and underarm seams.

SLEEVES: With No. 3 Needles cast on 49 sts. Work in pattern increasing 1 st at each end on the 9th and every 8th row thereafter to 87 sts. Work even until piece measures 18 in. from lower edge. Bind off 8 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 17 sts remain.

Sew sleeve seams. Sew sleeves in place.

FINISHING: With No. 2 steel crochet hook and contrasting color, work 2 rows of s c around entire opening, across pocket opening and lower edge of sleeves. Fasten off.

•

SPORT YARN TOPPER No. 4324

SIZE 14 TO 16

1 Pr. Standard No. 3 Needles—14 in.
1 Pr. Standard No. 5 Needles—14 in.

SCALE: 7 sts to 1 in.

Jack Frost Sport Yarn—7 2-oz. Balls

BACK: With No. 5 Needles cast on 120 sts. Work in pattern as follows:
Row 1 (wrong side)—* P 1, yarn forward, slip 1 st as if to P, yarn back, K 5; repeat from * across row ending P 1.
Row 2—*K 1, P 4, skip 1, K next st (do not drop from needle), P the skipped st, drop both sts from needle (twisted st); repeat from * across row ending K 1.
Row 3—* P 1, K 1, yarn forward, slip next st, yarn back, K 4; repeat from * across row ending K 1.
Row 4—* K 1, P 3, twist next 2 sts, P 1; repeat from * across row ending K 1.
Row 5—* P 1, K 2, yarn forward, slip next st, yarn back, K 3; repeat from * across row ending P 1.
Row 6—* K 1, P 2, twist next 2 sts, P 2; repeat from * across row ending K 1.
Row 7—* P 1, K 3, yarn forward, slip next st, yarn back, K 2; repeat from * across row ending P 1.
Row 8—* K 1, P 1, twist next 2 sts, P 3; repeat from * across row ending K 1.
Row 9—* P 1, K 4, yarn forward, slip next st, yarn back, K 1; repeat from * across row ending P 1.
Row 10—* K 1, twist next 2 sts, P 4; repeat from * across row ending K 1.
Row 11—* P 1, K 5, yarn forward, slip next st; repeat from * across row ending P 1.
Row 12—K 2 tog., * P 5, twist next 2 sts, working 2nd st as if to K instead of P; repeat from * across row ending P 4, increase 1 st in next st, K 1. The above 12 rows form pattern. Repeat them until piece measures 18 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times. Work even until piece measures 7 in. from underarm. Bind off 7 sts at beginning of each of next 8 rows for shoulders. Bind off remaining sts for back of neck.

RIGHT FRONT: With No. 5 Needles cast on 71 sts. Work in pattern until piece measures 18 in. from lower edge. Keeping front edge even, bind off 14 sts at underarm edge once; decrease 1 st at underarm edge every other row 7 times. Work even until piece measures 5½ in. from underarm. Keeping armhole edge even, bind off 12 sts at neck edge once, then 2 sts at neck edge every other row 5 times. Work even until piece measures 7 in. from underarm. Starting at shoulder edge, bind off 7 sts every other row 4 times.

Work other side to correspond.

Sew shoulder and underarm seams.

SLEEVES: With No. 3 Needles cast on 78 sts. Work in pattern until piece measures 6 in. from lower edge. Change to No. 5 Needles and continue pattern until piece measures 18 in. from lower edge. Bind off 7 sts at beginning of each of next 2 rows for underarm; decrease 1 st at each end every other row 7 times, then every 4th row 3 times. Bind off 2 sts at beginning of every row until 20 sts remain. Bind off.

Sew sleeve seams. Sew sleeves in place.

POCKETS: With No. 5 Needles cast on 36 sts. Work in pattern until piece measures 5½ in. Bind off.

FINISHING: Work 2 rows of s c around lower edge and entire opening of Topper, 2 rows of s c around lower edge of sleeves and 2 rows of s c around pockets, working 2 s c in corner sts.

(NOTE): SEED STITCH is made by working in pattern of K 1, P 1, always working a K over a P and a P over a K.

Abbreviations used in this volume

K—Knit	tog.—Together	s c—Single Crochet
P—Purl	st—Stitch	d c—Double Crochet
Y O—Yarn Over	sl st—Slip Stitch	tr c—Treble Crochet

P S S O —Pass Slip Stitch Over

(*) An asterisk indicates that the directions which follow are to be repeated.

Wash Your Sweaters, Blankets, Socks, etc., with

WOOLFOAM

Leaves garments soft fluffy and really clean . . . . just try it!

Made for Wool by a Wool Firm 25c
At Art Needlework & Notion Depts.

Printed in U.S.A.

TAILORED CARDIGAN
No. 4323

SPORT YARN TOPPER
No. 4324

JACK FROST INSTRUCTION BOOKS

First Choice of Millions of Knitters

VOL. 34 — PRICE 20¢

VOL. 35 — PRICE 20¢

VOL. 36 — PRICE 20¢

VOL. 37 — PRICE 20¢

VOL. 38 — PRICE 20¢

VOL. 40 — PRICE 20¢

VOL. 41 — PRICE 20¢

VOL. 42 — PRICE 20¢

VOL. 39 — PRICE 20¢

VOL. 43 — PRICE 20¢

VOL. 45 — PRICE 20¢

VOL. 46 — PRICE 20¢

VOL. 44 — PRICE 20¢

VOL. 47 — PRICE 20¢

VOL. 48 — PRICE 20¢

NEWEST STYLES • SIMPLIFIED INSTRUCTIONS